



Partnership HealthPlan of California Healthcare Effectiveness Data Information Set (HEDIS) Report Year 2017; Measurement Year 2016 Summary of Performance by Region



Distribution of Measures by Percentile Ranking
(Includes first year measures BCS and AMR which DHCS does not hold plans accountable for MY 2016)



Measures At or Above the High Performance Level (HPL)-90th Percentile

Measure Name	Southeast	Southwest
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)*	●	●
Use of Imaging Studies for Low Back Pain (LBP)*	●	●
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Nutrition	●	
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Physical Activity	●	●

Measures Below the Minimum Performance Level (MPL)-25th Percentile

Measure Name	Northeast	Northwest	Southwest
Annual Monitoring for Patients on Persistent Medications (MPM) - ACE or ARB*	●	●	●
Annual Monitoring for Patients on Persistent Medications (MPM) - Diuretics*	●		●
Asthma Medication Ratio (AMR)* - New Measure	●	●	
Breast Cancer Screening (BCS)* - New Measure	●	●	●
Childhood Immunization Status (CIS-3) - Combo 3	●	●	
Comprehensive Diabetes Care (CDC) - Medical Attention for Nephropathy		●	●

*Administrative Measures. The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures).

NOTES: Excludes measures reported to DHCS where DHCS does not hold Managed Care Plans accountable for meeting specific performance targets (All-Cause Readmissions, Ambulatory Care, Children & Adolescents Access to Primary Care Practitioners, Immunization for Adolescents - Combo 2, Screening for Clinical Depression). DHCS removed the following measures from the RY 2017 External Accountability Set (EAS): Medication Management for People with Asthma, Weight Assessment and Counseling for Nutrition and Physical Activity - BMI.

Breast Cancer Screening (BCS) and Asthma Medication Ratio (AMR) are new measures added to the EAS during RY 2017. Managed Care Plans are not accountable for meeting specific performance targets during the first year reporting. Plans will be accountable for meeting Minimum Performance Level (MPL) during RY 2018.

HEDIS 2017 Regional Performance

Performance Relative to National Medicaid Benchmarks



■ **Above HPL** (high performance level, based on NCQA's national Medicaid 90th percentile)

■ **Below MPL** (minimum performance level, based on NCQA's national Medicaid 25th percentile)

Measure Name	Regional Performance				Benchmarks			
	Northeast	Northwest	Southeast	Southwest	25TH(MPL)	50TH	75TH	90TH(HPL)
Annual Monitoring for Patients on Persistent Medications (MPM) - ACE or ARB*	82.40%	85.55%	87.11%	84.92%	85.63%	87.43%	89.92%	92.13%
Annual Monitoring for Patients on Persistent Medications (MPM) - Diuretics*	84.77%	86.06%	86.20%	84.85%	85.18%	87.52%	90.00%	92.28%
Asthma Medication Ratio (AMR)* - New Measure	50.89%	50.39%	66.67%	59.74%	54.55%	61.26%	65.36%	70.00%
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)*	36.13%	32.51%	42.55%	44.06%	22.12%	26.17%	32.51%	38.91%
Breast Cancer Screening (BCS)* - New Measure	50.67%	46.04%	57.20%	52.06%	52.24%	58.08%	65.30%	71.52%
Cervical Cancer Screening (CCS)	52.07%	49.15%	67.09%	59.06%	48.18%	55.94%	63.88%	69.95%
Childhood Immunization Status (CIS-3) - Combo 3	56.54%	60.00%	74.56%	66.85%	64.30%	71.06%	75.60%	79.81%
Comprehensive Diabetes Care (CDC) - Blood Pressure Control (<140/90)	70.32%	63.26%	63.81%	68.61%	52.26%	59.73%	68.61%	75.73%
Comprehensive Diabetes Care (CDC) - Eye Exams	49.64%	47.93%	59.41%	57.42%	44.53%	53.28%	61.50%	68.11%
Comprehensive Diabetes Care (CDC) - HbA1c Control (<8%)	52.07%	51.09%	54.03%	51.34%	39.80%	46.76%	52.55%	58.39%
Comprehensive Diabetes Care (CDC) - Medical Attention for Nephropathy	89.78%	87.83%	90.46%	84.67%	88.32%	90.51%	91.97%	93.56%
Comprehensive Diabetes Care (CDC) - Poor HbA1c Control (>9%)	38.69%	40.15%	34.72%	37.71%	52.31%	43.80%	36.87%	29.23%
Comprehensive Diabetes Care (CDC)- HbA1c Testing	85.89%	91.24%	84.35%	89.29%	82.98%	85.95%	89.42%	92.88%
Controlling High Blood Pressure (CBP)	64.30%	48.10%	61.70%	64.89%	46.87%	54.78%	63.99%	70.69%
Prenatal and Postpartum Care (PPC) - Postpartum Care	61.56%	65.08%	72.51%	69.17%	55.47%	60.98%	67.53%	73.61%
Prenatal and Postpartum Care (PPC) - Timeliness of Prenatal Care	81.27%	84.42%	85.44%	89.44%	74.21%	82.25%	87.56%	91.00%
Use of Imaging Studies for Low Back Pain (LBP)*	76.30%	81.16%	83.03%	83.84%	69.88%	73.71%	77.09%	81.42%
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Nutrition	58.88%	63.41%	80.18%	76.56%	51.84%	62.65%	70.88%	79.52%
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Physical Activity	51.82%	59.51%	75.30%	72.07%	45.09%	55.38%	63.47%	71.58%
Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life (W34)	65.10%	71.65%	78.04%	75.61%	64.72%	71.42%	77.57%	82.97%

*Administrative Measures. The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures).

HEDIS 2017 Regional Performance

Percentage Difference from Report Year 2016 and 2017



- Measures that increased more than 5.0% from HEDIS 2016
- Measures that decreased more than 5.0% from HEDIS 2016

Measure Name	Northeast	Northwest	Southeast	Southwest
Annual Monitoring for Patients on Persistent Medications (MPM) - ACE or ARB*	0.72%	6.73%	0.72%	1.52%
Annual Monitoring for Patients on Persistent Medications (MPM) - Diuretics*	1.38%	5.61%	0.88%	-0.18%
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)*	8.91%	-1.92%	7.74%	2.91%
Cervical Cancer Screening (CCS)	9.98%	5.11%	6.99%	1.28%
Childhood Immunization Status (CIS-3) - Combo 3	-0.07%	3.46%	2.89%	0.08%
Comprehensive Diabetes Care (CDC) - Blood Pressure Control (<140/90)	6.08%	2.68%	0.16%	-2.68%
Comprehensive Diabetes Care (CDC) - Eye Exams	6.57%	5.11%	-1.56%	3.41%
Comprehensive Diabetes Care (CDC) - HbA1c Control (<8%)	8.03%	2.68%	-0.11%	2.43%
Comprehensive Diabetes Care (CDC) - Medical Attention for Nephropathy	2.43%	2.68%	2.90%	-1.95%
Comprehensive Diabetes Care (CDC) - Poor HbA1c Control (>9%)**	-8.27%	0.49%	-0.89%	-2.43%
Comprehensive Diabetes Care (CDC)- HbA1c Testing	-0.97%	7.54%	-0.77%	2.19%
Controlling High Blood Pressure (CBP)	9.56%	-12.24%	-3.88%	-0.63%
Prenatal and Postpartum Care (PPC) - Postpartum Care	12.29%	5.71%	6.12%	0.83%
Prenatal and Postpartum Care (PPC) - Timeliness of Prenatal Care	8.83%	3.89%	0.98%	-2.50%
Use of Imaging Studies for Low Back Pain (LBP)*	-5.33%	-4.56%	-3.24%	-4.02%
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Nutrition	0.24%	6.24%	-1.22%	3.57%
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Physical Activity	0.24%	3.31%	-0.98%	8.32%
Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life (W34)	1.44%	11.59%	0.40%	2.48%

*Administrative Measures. The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures).
 ** Decrease indicates performance improvement

HEDIS 2017 Regional Performance

Percentile Ranking Change from HEDIS Report Year 2016 to 2017




- Measure percentile ranking improved since HEDIS 2016
- Measure percentile ranking decreased since HEDIS 2016

Measure Name	Northeast		Northwest		Southeast		Southwest	
	2016	2017	2016	2017	2016	2017	2016	2017
Annual Monitoring for Patients on Persistent Medications (MPM) - ACE or ARB*	<25th	<25th	<25th	<25th	25th	25th	<25th	<25th
Annual Monitoring for Patients on Persistent Medications (MPM) - Diuretics*	<25th	<25th	<25th	25th	25th	25th	25th	<25th
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)*	50th	75th	75th	75th	75th	90th	90th	90th
Cervical Cancer Screening (CCS)	<25th	25th	<25th	25th	25th	75th	25th	50th
Childhood Immunization Status (CIS-3) - Combo 3	<25th	<25th	<25th	<25th	50th	50th	25th	25th
Comprehensive Diabetes Care (CDC) - Blood Pressure Control (<140/90)	50th	75th	25th	50th	50th	50th	75th	75th
Comprehensive Diabetes Care (CDC) - Eye Exams	<25th	25th	<25th	25th	50th	50th	25th	50th
Comprehensive Diabetes Care (CDC) - HbA1c Control (<8%)	25th	50th	50th	50th	75th	75th	50th	50th
Comprehensive Diabetes Care (CDC) - Medical Attention for Nephropathy	75th	25th	75th	<25th	75th	25th	75th	<25th
Comprehensive Diabetes Care (CDC) - Poor HbA1c Control (>9%)**	25th	50th	50th	50th	50th	75th	50th	50th
Comprehensive Diabetes Care (CDC)- HbA1c Testing	50th	25th	25th	75th	25th	25th	50th	50th
Controlling High Blood Pressure (CBP)	25th	75th	50th	25th	75th	50th	75th	75th
Prenatal and Postpartum Care (PPC) - Postpartum Care	<25th	50th	25th	50th	50th	75th	50th	75th
Prenatal and Postpartum Care (PPC) - Timeliness of Prenatal Care	<25th	25th	25th	50th	25th	50th	90th	75th
Use of Imaging Studies for Low Back Pain (LBP)*	75th	50th	90th	75th	90th	90th	90th	90th
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Nutrition	25th	25th	25th	50th	90th	90th	75th	75th
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Physical Act..	25th	25th	50th	50th	90th	90th	50th	90th
Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life (W34)	<25th	25th	<25th	50th	50th	75th	50th	50th

*Administrative Measures. The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures).

Partnership HealthPlan of California Healthcare Effectiveness Data Information Set (HEDIS) 2017 Summary of Performance by County



Distribution of Percentile Rankings by County

Percentile	Southeast			Southwest				Northeast				Northwest		
	Solano	Yolo	Napa	Sonoma	Mendoci..	Marin	Lake	Shasta	Siskiyou	Lassen	Trinity	Modoc	Humboldt	Del Norte
90th (HPL)	2	6	6	7	4	8					2	2	1	1
75th	7	7	2	8	1	4	2	6	5	1		1	3	3
50th	6	5	8	2	4	4	4	3	6	2	3	2	5	8
25th	3	2	3		6	1	3	8	2	5	4	5	4	3
Below MPL	2		1	3	5	3	11	3	7	12	11	10	7	5

HEDIS 2017 Performance by County

Southeast Region; (Solano, Yolo and Napa Counties)



- **Above HPL** (high performance level, based on NCQA's national Medicaid 90th percentile)
- **Below MPL** (minimum performance level, based on NCQA's national Medicaid 25th percentile)

Measure Name	Southeast Region			Benchmarks			
	Napa	Solano	Yolo	25TH(MPL)	50TH	75TH	90TH(HPL)
Annual Monitoring for Patients on Persistent Medications (MPM) - ACE or ARB*	85.75%	87.09%	87.86%	85.63%	87.43%	89.92%	92.13%
Annual Monitoring for Patients on Persistent Medications (MPM) - Diuretics*	85.66%	85.96%	87.12%	85.18%	87.52%	90.00%	92.28%
Asthma Medication Ratio (AMR)* - New Measure	71.68%	65.58%	66.79%	54.55%	61.26%	65.36%	70.00%
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)*	41.67%	44.31%	38.96%	22.12%	26.17%	32.51%	38.91%
Breast Cancer Screening (BCS)* - New Measure	57.00%	58.85%	53.55%	52.24%	58.08%	65.30%	71.52%
Cervical Cancer Screening (CCS)	70.00%	67.23%	66.95%	48.18%	55.94%	63.88%	69.95%
Childhood Immunization Status (CIS-3) - Combo 3	74.63%	70.33%	82.80%	64.30%	71.06%	75.60%	79.81%
Comprehensive Diabetes Care (CDC) - Blood Pressure Control (<140/90)	67.80%	62.92%	63.64%	52.26%	59.73%	68.61%	75.73%
Comprehensive Diabetes Care (CDC) - Eye Exams	54.24%	61.25%	58.18%	44.53%	53.28%	61.50%	68.11%
Comprehensive Diabetes Care (CDC) - HbA1c Control (<8%)	49.15%	52.50%	60.00%	39.80%	46.76%	52.55%	58.39%
Comprehensive Diabetes Care (CDC) - Medical Attention for Nephropathy	91.53%	87.50%	96.36%	88.32%	90.51%	91.97%	93.56%
Comprehensive Diabetes Care (CDC) - Poor HbA1c Control (>9%)	40.68%	35.42%	30.00%	52.31%	43.80%	36.87%	29.23%
Comprehensive Diabetes Care (CDC)- HbA1c Testing	79.66%	82.92%	90.00%	82.98%	85.95%	89.42%	92.88%
Controlling High Blood Pressure (CBP)	59.26%	63.27%	59.38%	46.87%	54.78%	63.99%	70.69%
Prenatal and Postpartum Care (PPC) - Postpartum Care	73.58%	72.97%	70.83%	55.47%	60.98%	67.53%	73.61%
Prenatal and Postpartum Care (PPC) - Timeliness of Prenatal Care	83.02%	83.33%	91.67%	74.21%	82.25%	87.56%	91.00%
Use of Imaging Studies for Low Back Pain (LBP)*	86.85%	83.52%	80.45%	69.88%	73.71%	77.09%	81.42%
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Nutrition	90.41%	77.14%	77.50%	51.84%	62.65%	70.88%	79.52%
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Physical Activity	89.04%	69.14%	76.25%	45.09%	55.38%	63.47%	71.58%
Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life (W34)	82.00%	78.57%	72.09%	64.72%	71.42%	77.57%	82.97%

*Administrative Measures. The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures).

HEDIS 2017 Performance by County

Southwest Region; (Lake, Marin, Mendocino and Sonoma Counties)



- **Above HPL** (high performance level, based on NCQA's national Medicaid 90th percentile)
- **Below MPL** (minimum performance level, based on NCQA's national Medicaid 25th percentile)

Measure Name	Southwest Region				Benchmarks			
	Lake	Marin	Mendocino	Sonoma	25TH(MPL)	50TH	75TH	90TH(HPL)
Annual Monitoring for Patients on Persistent Medications (MPM) - ACE or ARB*	83.44%	83.68%	87.34%	84.94%	85.63%	87.43%	89.92%	92.13%
Annual Monitoring for Patients on Persistent Medications (MPM) - Diuretics*	85.74%	80.61%	87.43%	85.02%	85.18%	87.52%	90.00%	92.28%
Asthma Medication Ratio (AMR)* - New Measure	47.30%	62.63%	52.59%	64.47%	54.55%	61.26%	65.36%	70.00%
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)*	32.89%	50.00%	39.22%	49.40%	22.12%	26.17%	32.51%	38.91%
Breast Cancer Screening (BCS)* - New Measure	38.67%	53.30%	40.85%	60.45%	52.24%	58.08%	65.30%	71.52%
Cervical Cancer Screening (CCS)	40.74%	60.00%	57.50%	64.32%	48.18%	55.94%	63.88%	69.95%
Childhood Immunization Status (CIS-3) - Combo 3	54.00%	84.13%	36.36%	77.42%	64.30%	71.06%	75.60%	79.81%
Comprehensive Diabetes Care (CDC) - Blood Pressure Control (<140/90)	66.67%	68.00%	66.13%	70.43%	52.26%	59.73%	68.61%	75.73%
Comprehensive Diabetes Care (CDC) - Eye Exams	45.33%	74.00%	43.55%	62.17%	44.53%	53.28%	61.50%	68.11%
Comprehensive Diabetes Care (CDC) - HbA1c Control (<8%)	37.33%	58.00%	45.16%	55.65%	39.80%	46.76%	52.55%	58.39%
Comprehensive Diabetes Care (CDC) - Medical Attention for Nephropathy	80.00%	88.00%	79.03%	86.96%	88.32%	90.51%	91.97%	93.56%
Comprehensive Diabetes Care (CDC) - Poor HbA1c Control (>9%)	58.67%	34.00%	48.39%	29.13%	52.31%	43.80%	36.87%	29.23%
Comprehensive Diabetes Care (CDC) - HbA1c Testing	86.67%	94.00%	87.10%	89.57%	82.98%	85.95%	89.42%	92.88%
Controlling High Blood Pressure (CBP)	57.14%	61.67%	59.52%	71.02%	46.87%	54.78%	63.99%	70.69%
Prenatal and Postpartum Care (PPC) - Postpartum Care	44.12%	74.00%	75.82%	75.16%	55.47%	60.98%	67.53%	73.61%
Prenatal and Postpartum Care (PPC) - Timeliness of Prenatal Care	86.76%	88.00%	92.31%	89.44%	74.21%	82.25%	87.56%	91.00%
Use of Imaging Studies for Low Back Pain (LBP)*	78.57%	85.41%	84.89%	84.77%	69.88%	73.71%	77.09%	81.42%
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Nutrition	47.17%	86.15%	75.38%	81.19%	51.84%	62.65%	70.88%	79.52%
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Physical Activity	49.06%	76.92%	53.85%	81.65%	45.09%	55.38%	63.47%	71.58%
Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life (W34)	58.00%	78.00%	66.07%	82.01%	64.72%	71.42%	77.57%	82.97%

*Administrative Measures. The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures).

HEDIS 2017 Performance by County

Northeast Region; (Modoc, Trinity, Siskiyou, Shasta and Lassen Counties)



- Above HPL** (high performance level, based on NCQA's national Medicaid 90th percentile)
- Below MPL** (minimum performance level, based on NCQA's national Medicaid 25th percentile)

Measure Name	Northeast Region					Benchmarks			
	Modoc	Trinity	Siskiyou	Shasta	Lassen	25TH(MPL)	50TH	75TH	90TH(HPL)
Annual Monitoring for Patients on Persistent Medications (MPM) - ACE or ARB*	90.08%	76.35%	79.61%	84.46%	72.41%	85.63%	87.43%	89.92%	92.13%
Annual Monitoring for Patients on Persistent Medications (MPM) - Diuretics*	95.38%	85.33%	80.85%	86.60%	75.52%	85.18%	87.52%	90.00%	92.28%
Asthma Medication Ratio (AMR)* - New Measure	47.83%	61.36%	48.72%	50.69%	51.69%	54.55%	61.26%	65.36%	70.00%
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)*	64.29%	64.00%	35.79%	33.87%	32.81%	22.12%	26.17%	32.51%	38.91%
Breast Cancer Screening (BCS)* - New Measure	43.44%	24.77%	42.99%	57.17%	44.35%	52.24%	58.08%	65.30%	71.52%
Cervical Cancer Screening (CCS)	46.00%	44.00%	46.99%	55.04%	44.00%	48.18%	55.94%	63.88%	69.95%
Childhood Immunization Status (CIS-3) - Combo 3	64.58%	42.00%	64.91%	57.44%	40.00%	64.30%	71.06%	75.60%	79.81%
Comprehensive Diabetes Care (CDC) - Blood Pressure Control (<140/90)	48.00%	56.00%	69.14%	75.09%	62.00%	52.26%	59.73%	68.61%	75.73%
Comprehensive Diabetes Care (CDC) - Eye Exams	42.00%	38.00%	46.91%	53.58%	40.00%	44.53%	53.28%	61.50%	68.11%
Comprehensive Diabetes Care (CDC) - HbA1c Control (<8%)	40.00%	38.00%	49.38%	55.47%	34.00%	39.80%	46.76%	52.55%	58.39%
Comprehensive Diabetes Care (CDC) - Medical Attention for Nephropathy	90.00%	94.00%	82.72%	92.08%	88.00%	88.32%	90.51%	91.97%	93.56%
Comprehensive Diabetes Care (CDC) - Poor HbA1c Control (>9%)	56.00%	54.00%	40.74%	35.09%	46.00%	52.31%	43.80%	36.87%	29.23%
Comprehensive Diabetes Care (CDC) - HbA1c Testing	88.00%	88.00%	87.65%	84.53%	86.00%	82.98%	85.95%	89.42%	92.88%
Controlling High Blood Pressure (CBP)	46.00%	46.00%	62.86%	68.50%	52.00%	46.87%	54.78%	63.99%	70.69%
Prenatal and Postpartum Care (PPC) - Postpartum Care	44.83%	58.33%	62.90%	63.10%	52.00%	55.47%	60.98%	67.53%	73.61%
Prenatal and Postpartum Care (PPC) - Timeliness of Prenatal Care	72.41%	85.42%	88.71%	79.34%	82.00%	74.21%	82.25%	87.56%	91.00%
Use of Imaging Studies for Low Back Pain (LBP)*	74.19%	69.81%	77.55%	77.07%	72.45%	69.88%	73.71%	77.09%	81.42%
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Nutrition	52.00%	56.00%	70.00%	60.38%	42.00%	51.84%	62.65%	70.88%	79.52%
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Physical Activity	50.00%	36.00%	65.71%	53.21%	30.00%	45.09%	55.38%	63.47%	71.58%
Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life (W34)	50.00%	62.00%	58.46%	65.10%	66.00%	64.72%	71.42%	77.57%	82.97%

*Administrative Measures. The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures).

HEDIS 2017 Performance by County

Northwest Region; (Del Norte and Humboldt Counties)



- Above HPL** (high performance level, based on NCQA's national Medicaid 90th percentile)
- Below MPL** (minimum performance level, based on NCQA's national Medicaid 25th percentile)

Measure Name	Northwest Region		Benchmarks			
	Del Norte	Humboldt	25TH(MPL)	50TH	75TH	90TH(HPL)
Annual Monitoring for Patients on Persistent Medications (MPM) - ACE or ARB*	88.99%	84.47%	85.63%	87.43%	89.92%	92.13%
Annual Monitoring for Patients on Persistent Medications (MPM) - Diuretics*	89.36%	84.99%	85.18%	87.52%	90.00%	92.28%
Asthma Medication Ratio (AMR)* - New Measure	49.02%	50.73%	54.55%	61.26%	65.36%	70.00%
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)*	30.61%	32.91%	22.12%	26.17%	32.51%	38.91%
Breast Cancer Screening (BCS)* - New Measure	46.65%	45.85%	52.24%	58.08%	65.30%	71.52%
Cervical Cancer Screening (CCS)	63.93%	46.57%	48.18%	55.94%	63.88%	69.95%
Childhood Immunization Status (CIS-3) - Combo 3	54.76%	61.37%	64.30%	71.06%	75.60%	79.81%
Comprehensive Diabetes Care (CDC) - Blood Pressure Control (<140/90)	52.44%	65.96%	52.26%	59.73%	68.61%	75.73%
Comprehensive Diabetes Care (CDC) - Eye Exams	51.22%	47.11%	44.53%	53.28%	61.50%	68.11%
Comprehensive Diabetes Care (CDC) - HbA1c Control (<8%)	50.00%	51.37%	39.80%	46.76%	52.55%	58.39%
Comprehensive Diabetes Care (CDC) - Medical Attention for Nephropathy	89.02%	87.54%	88.32%	90.51%	91.97%	93.56%
Comprehensive Diabetes Care (CDC) - Poor HbA1c Control (>9%)	35.37%	41.34%	52.31%	43.80%	36.87%	29.23%
Comprehensive Diabetes Care (CDC)- HbA1c Testing	95.12%	90.27%	82.98%	85.95%	89.42%	92.88%
Controlling High Blood Pressure (CBP)	42.86%	49.52%	46.87%	54.78%	63.99%	70.69%
Prenatal and Postpartum Care (PPC) - Postpartum Care	48.39%	68.15%	55.47%	60.98%	67.53%	73.61%
Prenatal and Postpartum Care (PPC) - Timeliness of Prenatal Care	82.26%	84.82%	74.21%	82.25%	87.56%	91.00%
Use of Imaging Studies for Low Back Pain (LBP)*	76.10%	82.53%	69.88%	73.71%	77.09%	81.42%
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Nutrition	68.66%	62.39%	51.84%	62.65%	70.88%	79.52%
Weight Assessment and Counseling for Nutrition & Physical Activity (WCC) - Counseling for Physical Activity	58.21%	59.77%	45.09%	55.38%	63.47%	71.58%
Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life (W34)	80.00%	69.85%	64.72%	71.42%	77.57%	82.97%

*Administrative Measures. The entire eligible population is used in calculating performance (versus a systematic sample drawn from the eligible population for the hybrid measures).

Partnership HealthPlan of California

Report Year 2017 Measurement Year 2016

Summary of Measures in the Primary Care Provider Quality Improvement Program (PCP QIP) included in the HEDIS 2017 External Accountability Set (EAS)



Measure	2016-2017 PCP QIP Measure	2017 Transition PCP QIP Measure	Notes for PCP QIP Measures
All-Cause Readmissions (ACR)*			
Ambulatory Care (AMBA)			
Annual Monitoring for Patients on Persistent Medications (MPM)	x	x	New measure for Family Practices in 2016-17. Thresholds are 50 th percentile for 2016-17 while 90 th percentile for 2017 Transition Period.
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)			
Asthma Medication Ration (AMR)			Will be added to 2018 measurement set for Pediatric practices
Breast Cancer Screening (BCS)			Will be added to 2018 measurement sets for Internal Medicine and Family Practices
Cervical Cancer Screening (CCS)	x	x	
Childhood Immunization Status – Combo 3 (CIS)	x	x	Only DTap and MMR are measures in QIP. Family and Pediatric report on DTap. Only Pediatrics practices report on MMR.
Children and Adolescents' Access to Primary Care Practitioners (CAP)	x	x	The average number of assigned members' visits to PCP per member per year.
Comprehensive Diabetes Care (CDC) – Eye Exam	x	x	
Comprehensive Diabetes Care (CDC) – HbA1c Adequate Control (<8)			QIP measures Good Control, HbA1c <9.
Comprehensive Diabetes Care (CDC) – HbA1c Poor Control (>9)*			QIP measures Good Control, HbA1c <9.
Comprehensive Diabetes Care (CDC) – HbA1c Testing			
Comprehensive Diabetes Care (CDC) – Medical Attention for Nephropathy	x	x	
Controlling High Blood Pressure (CBP)	x	x	
Immunizations for Adolescents (IMA) – Combo 2	x	x	Pediatric Practices only; will be added to 2018 measurement set for Family practices
Prenatal and Postpartum Care (PPC) – Timeliness of Postpartum Care			
Prenatal and Postpartum Care (PPC) – Timeliness of Prenatal Care			
Screening for Clinical Depression and Follow-up Plan (CDF)			
Use of Imaging Studies for Low Back Pain (LBP)			
Weight Assessment and Counseling for Children/Adolescents (WCC) – Physical Activity	x	x	Pediatric Practices only; Family Practices do not report.
Weight Assessment and Counseling for Children/Adolescents (WCC) – Nutrition	x	x	Pediatric Practices only; Family Practices do not report.
Well-Child Visits in the Third, Fourth, Fifth, and Sixth Years of Life (W34)	x	x	Family and Pediatric practices report.

*Lower rate indicates better performance.