



HEDIS 2021

Administrative Reporting Measures

Measuring Performance for Calendar Year 2020

HEDIS® Administrative Measure: *Data collected from claims submission, lab data, pharmacy data, vision service provider data, and other supplemental data sources*

HEDIS Measure	Measure Indicator/Stratifications	Measure Definition
AMM Antidepressant Medication Management	<ul style="list-style-type: none"> • Acute Phase Treatment—Percentage of members who remained on an antidepressant medication for at least 84 days (12 weeks) • Continuation Phase Treatment—Percentage of members who remained on an antidepressant medication for at least 180 days (6 months) 	Percentage of members 18 years of age and older who were treated with antidepressant medication, had a diagnosis of major depression and who remained on an antidepressant medication treatment starting May 1, 2019 and ending April 30, 2020.
AMR Asthma Medication Ratio	<ul style="list-style-type: none"> <li style="width: 50%;">• 5-11 Years <li style="width: 50%;">• 51-64 Years <li style="width: 50%;">• 12-18 Years <li style="width: 50%;">• Total <li style="width: 50%;">• 19-50 Years 	The percentage of members ages 5-64 years with persistent asthma who have a ratio of controller to total asthma medications of 0.50 or greater during 2020.
APM Metabolic Monitoring for Children and Adolescents	<ul style="list-style-type: none"> • Percentage of children and adolescents on antipsychotics who received blood glucose testing • Percentage of children and adolescents on antipsychotics who received cholesterol testing • Percentage of children and adolescents on antipsychotics who received blood glucose and cholesterol testing 	The percentage of children and adolescents 1-17 years of age who had two or more antipsychotic prescriptions and had metabolic testing during 2020.



HEDIS 2021

Administrative Reporting Measures

HEDIS Measure	Measure Indicator	Measure Definition
BCS Breast Cancer Screening		The percentage of women 50-74 years of age who had one or more mammograms on or between October 1, 2018 and December 31, 2020
CHL Chlamydia Screening in Women	<ul style="list-style-type: none"> • 16-20 years • 21-24 years • Total 	Percentage of women 16-24 years of age, as of December 31, 2020, who were identified as sexually active and who had at least one test for chlamydia during 2020.
SSD Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications	<ul style="list-style-type: none"> • Percentage of members dispensed an antipsychotic medication who had a glucose test or HbA1c test 	The percentage of members 18-64 years of age with schizophrenia, schizoaffective disorder or bipolar disorder, who were dispensed an antipsychotic medication and had a diabetes screening test during 2020.



HEDIS 2021

Administrative Reporting Measures

HEDIS Measure	Measure Indicator	Measure Definition
W30 Well-Child Visits in the First 30 Months of Life	<ul style="list-style-type: none"> Well-Child Visits in the First 15 Months. Children who turned 15 months old during 2020: Six or more well-child visits. Well-Child Visits for Age 15 Months-30 Months. Children who turned 30 months old during 2020: Two or more well-child visits. 	The percentage of members who had well-child visits with a PCP during the last 15 months.
WCV Child and Adolescent Well-Care Visits	<ul style="list-style-type: none"> 3-11 years 12-17 years 18-21 years Total 	The percentage of members 3-21 years of age who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during 2020.

“HEDIS® is a registered trademark of the National Committee on Quality Assurance (NCQA)”